

The enclosed prescription medication is made by ImprimisRx® a pharmaceutical compounding company that specializes in customizing medications to meet unique patient and practitioner needs. This document is for professional use only. This document contains information related to the individual ingredients contained in the above described compounded formulation. Use of this formulation has not been reviewed by the U.S. Food and Drug Administration (FDA) for any indication.

This information may not cover all possible uses, directions, side effects, precautions, allergic reactions or drug interactions. ImprimisRx dispenses compounded medicines to licensed practitioners and individually identified patients with valid prescriptions. Compounded medications are not reviewed by the FDA for safety or efficacy. ImprimisRx does not compound copies of commercially available products. References available upon request.

ImprimisRx is a registered trademark of Imprimis Pharmaceuticals, Inc.
©2018 Imprimis Pharmaceuticals, Inc. All Rights Reserved. IMPO0316Rev1 12/18

**Questions?
Contact us at:
(844) 446-6979**

Imprimis Pharmaceuticals, Inc.
12264 El Camino Real, Suite 350
San Diego, CA 92130

imprimis Rx®

Product Name:

Prednisolone Acetate
Gatifloxacin

Ophthalmic Suspension for Topical Use

Prednisolone Acetate

Gatifloxacin

Possible Indications

Postoperative Ophthalmic Inflammation

Bacterial Conjunctivitis

Possible Adverse Effects

Accommodation Disturbance
Conjunctival Hyperemia
Decreased Visual Acuity
Eye Infection
Glaucoma
Increased Intraocular Pressure
Keratitis
Mydriasis
Optic Nerve Damage
Subscapular Posterior Cataract
Visual Field Defect
Wound Healing Impairment

Conjunctival Irritation
Decreased Visual Acuity
Dysgeusia
Eye Discharge
Eye Irritation
Eye Pain
Eye Redness
Eyelid Edema
Headache
Increased Lacrimation
Keratitis
Papillary Conjunctivitis

Potential Contraindications/ Precautions

Infants
Lactation
Pregnancy
Cataract
Eye Infection
Increased Intraocular Pressure

Infants
Lactation
Pregnancy

Storage

Store at Room Temperature

20°C to 25°C (68°F to 77°F)

Auxiliary Labeling

Shake well before use

Store upright in original bottle

Protect from light