

 Fax

To: ImprimisRx

From: _____

Fax: 855-405-4669

Fax: _____

Phone: _____

Number of Pages: _____ Date: _____

Comments: _____

PROTECTED HEALTH INFORMATION

BUSINESS CONFIDENTIAL INFORMATION

This fax is intended only for the exclusive use of the addressee(s), and may contain privileged or confidential information. If you are not the intended recipient, or the person responsible for delivering the fax to the intended recipient, be advised you have received this fax in error and that use, dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this fax in error, please destroy the attached document(s) and immediately notify the sender of the error.

Please deliver to: _____ with this cover sheet to protect its contents.

Patient Information (Name, DOB, gender, address required)

Patient: _____ DOB: ____/____/____

Age: ____ M ____ F ____ Tel: Home _____

Work: _____ Cell: _____

Address: _____

City: _____ ST: _____ Zip: _____

Email Address: _____

Patient profile(s)/block schedule attached If patient is unreachable, ship to verified address above

Shipping (check one)

FedEx Overnight FedEx 2 Day FedEx Ground Ship to Office Ship to Patient

Pursuant to VA/OH/MO/VT law. Only 1 medication is permitted per order form. Please use a new form for additional items.

Incomplete orders may delay processing.

Orders with complete information will ship within 24 hours (1 business day) of receipt.

If you need a medication not listed, please contact us at **844-446-6979** (toll-free).

DATE TO BE ADMINISTERED _____

Medication Allergies (required)

NKDA **If allergies are not included, the patient has NKDA.**

Patient Clinical Information (please select one)

Ophthalmology

Other: _____

LessDrops

Mydratics

| Combination Formulations* (Please select one from each section) | Size/Volume | Medical Necessity (Required) | Instructions for Use (Required) | Qty | # Refills |
|--|--|---|--|-----|-----------|
| <input type="checkbox"/> Pred-Moxi-Brom (Prednisolone Acetate /Moxifloxacin/Bromfenac) (1/0.5/0.075)% | <input type="checkbox"/> 5mL <input type="checkbox"/> 8mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Pred-Moxi-Nepaf (Prednisolone Acetate /Moxifloxacin/Nepafenac) (1/0.5/0.1)% | <input type="checkbox"/> 5mL <input type="checkbox"/> 8mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Pred-Gati-Brom (Prednisolone Acetate /Gatifloxacin/Bromfenac) (1/0.5/0.075)% | <input type="checkbox"/> 5mL <input type="checkbox"/> 8mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Pred-Gati-Brom (Prednisolone Phosphate /Gatifloxacin/Bromfenac) (1/0.5/0.075)% | <input type="checkbox"/> 5mL <input type="checkbox"/> 8mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Pred-Gati (Prednisolone Acetate /Gatifloxacin) (1/0.5)% | 5mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Pred-Moxi (Prednisolone Acetate /Moxifloxacin) (1/0.5)% | 5mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Pred-Brom (Prednisolone Acetate /Bromfenac) (1/0.075)% | 5mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Pred-Brom (Prednisolone Phosphate /Bromfenac) (1/0.075)% | 5mL | <input type="checkbox"/> Patient has trouble with multiple bottle regimen. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> OD <input type="checkbox"/> TID <input type="checkbox"/> OS <input type="checkbox"/> QID | | |
| <input type="checkbox"/> Mydratic 2 (Tropicamide/Phenylephrine) (1/2.5)% | 5mL | <input type="checkbox"/> No commercial formulation available. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> To be administered topically by the physician <input type="checkbox"/> Other: _____ | | |
| <input type="checkbox"/> Mydratic 3 (Tropicamide/Cyclopentolate/Phenylephrine) (1/1/2.5)% | 1mL | <input type="checkbox"/> No commercial formulation available. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> To be administered topically by the physician <input type="checkbox"/> Other: _____ | | |
| <input type="checkbox"/> Mydratic 4 (Tropicamide/Proparacaine/Phenylephrine/ Ketorolac Tromethamine) (1/0.5/2.5/0.5)% [†] | 5mL | <input type="checkbox"/> No commercial formulation available. <input type="checkbox"/> Other: _____ | <input type="checkbox"/> To be administered topically by the physician <input type="checkbox"/> Other: _____ | | |
| <input type="checkbox"/> Other: _____ | | | | | |

Prescribers are reminded that state law allows patients to receive medications from a pharmacy of their choice. Representative formulation. Please contact us for an alternate formulation. Customizable within certain ranges.

*For professional use only. ImprimisRx specializes in customizing medications to meet unique patient and practitioner needs. ImprimisRx dispenses these formulations only to individually identified patients with valid prescriptions. No compounded medication is reviewed by the FDA for safety or efficacy. ImprimisRx does not compound copies of commercially available products. References available upon request.

[†]Shipped cold overnight.

Total prescriptions ordered

Prescribing Physician Verification

I have reviewed my patient's medical record and determined the compounded medication(s) / supplies ordered are medically necessary and that an FDA approved drug is not medically appropriate. I verify I have examined and diagnosed the patient as indicated above. I will comply with state and federal documentation requirements by retaining a copy of this prescription in the patient's medical record. The prescription is to be dispensed as written unless otherwise instructed by me.

Prescriber Full Name: _____ Phone: _____ Fax: _____

State License #: _____ DEA: _____ NPI: _____ Email: _____

Address: _____ City: _____ ST: _____ Zip: _____

Business/Clinic Name: _____ Office Contact: _____

Ship to Address (if different from above): _____ City: _____ ST: _____ Zip: _____

Email Address: _____

Prescriber Signature: _____ Date: _____

Payment Information Payor: Doctor Facility Patient

Method of Payment:

New Credit Card Number: _____ Expiration: _____ CVC/Code: _____ Billing Zip: _____ Keep on File

Credit Card on File Ending In: _____ CVC/Code: _____ Invoice me using my PREAPPROVED Net-30 terms

Patient Information (All fields required)

| | | | |
|------------------------|-----------|---------|----------------------------------|
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |
| First & Last Name | Birthdate | Address | Known Drug Allergies |
| | | | NKDA <input type="checkbox"/> |
| Number of Refills: N/A | | | |

When shipping multiple patients' prescriptions together to a physician or clinic, please indicate "Earliest Date to be Administered" on order form Page 1 to determine ship date.

The pharmacy will plan for all orders to arrive by one day prior to these dates.