

The enclosed prescription medication is made by ImprimisRx®, a pharmaceutical compounding company that specializes in customizing medications to meet unique patient and practitioner needs. This document is for professional use only. This document contains information related to the individual ingredients contained in the above described compounded formulation. Use of this formulation has not been reviewed by the U.S. Food and Drug Administration (FDA) for any indication. This information may not cover all possible uses, directions, side effects, precautions, allergic reactions or drug interactions. ImprimisRx dispenses compounded medicines to licensed practitioners and individually identified patients with valid prescriptions. Compounded medications are not reviewed by the FDA for safety or efficacy. ImprimisRx does not compound copies of commercially available products. References available upon request.

ImprimisRx is a registered trademark of Harrow Health, Inc.
©2020 ImprimisRx. All Rights Reserved.
IMPO03II Rev4 07/20

**Questions?
Contact us at:
(844) 446-6979**

Imprimis Rx®

Product Name:

Tropicamide

Cyclopentolate

Phenylephrine HCl

Ophthalmic Solution for Topical Use

ImprimisRx®
12264 El Camino Real, Suite 350
San Diego, CA 92130

	Tropicamide	Cyclopentolate	Phenylephrine HCl	
Possible Indications	Cycloplegia Mydriasis	Cycloplegia Mydriasis Posterior Synechiae Uveitis	Mydriasis Posterior Synechiae Uveitis with Posterior Synechiae	
Possible Adverse Effects	Blurred Vision Cardiorespiratory Arrest Headache Hypersensitivity Reaction Increased Intraocular Pressure Muscle Rigidity Nausea Pallor Photophobia Psychotic Reaction Superficial Punctate Keratitis Tachycardia Transient Burning or Stinging in the Eyes Vomiting Xerostomia	Blurred Vision Burning Sensation Coma Death Disorientation Dry Secretions Eye Irritation Hallucination Hyperactive Behavior Hyperpyrexia Hypertension Hyperhidrosis Increased Intraocular Pressure Photophobia Psychotic Reaction Restlessness Seizure Superficial Punctate Keratitis Tachycardia Urinary Retention Vasodilation Xerostomia	Acute Keratitis Acute Myocardial Infarction Allergic Conjunctivitis Blurred Vision Dermatitis Diaphoresis Dizziness Eye Irritation Headache Hypertension Lacrimation Pallor Photophobia Pigment Granules Liberation from the Iris Subarachnoid Hemorrhage Syncope Tachycardia Tremor Ventricular Premature contractions	
Potential Contraindications/ Precautions	Patients less than 12 years of age Lactation Pregnancy	Infants	Neonates and patients less than 12 years of age Lactation Pregnancy	
Storage	Store at room temperature	20°C to 25°C (68°F to 77°F)		
Auxiliary Labeling	Protect from light	Store upright in original bottle	For professional use only	